



UNITED STATES PATENT AND TRADEMARK OFFICE

cen

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/822,715	04/13/2004	Akihiko Kandori	NIT-420	2990
<div>7590 09/10/2007 Mattingly, Stanger & Malur, P.C. Suite 370 1800 Diagonal Road Alexandria, VA 22314</div>			<div>EXAMINER NGHIEM, MICHAEL P</div>	
			<div>ART UNIT 2863</div>	<div>PAPER NUMBER</div>
			<div>MAIL DATE 09/10/2007</div>	<div>DELIVERY MODE PAPER</div>

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/822,715

Applicant(s)

KANDORI ET AL.

Examiner

Michael P. Nghiem

Art Unit

2863

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 5-8 is/are allowed.
- 6) ☒ Claim(s) 1,2,4,12,13 and 15-17 is/are rejected.
- 7) ☒ Claim(s) 3,9-11 and 14 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 4-13-04.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: ____.

DETAILED ACTION

Specification

Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

"Means" (lines 6, 8-10, 13) is improper.

Drawings

The drawings are objected to under 37 CFR 1.83(a) because they fail to show "SQUID sensors" (page 11, line 11) as described in the specification. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures

Art Unit: 2863

appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "means detecting a magnetic field", "means calculating current vectors", "means displaying" (claim 1), data collection device, operation processor (claim 5), display device (claims 5, 12, 16) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate

prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

Claims 1, 12, and 16 are objected to because of the following informalities:

- claim 1, after "means" (lines 2-4, 8) should insert – for --.
- claims 12 and 16, before "comprising", "further" should be deleted.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

Art Unit: 2863

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 9-11 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 9 and 11 do not have a transitional phrase. Thus, the metes and bounds of the claimed invention cannot be readily ascertain.

Claims 9 and 11 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01. No structural limitation is recited.

The remaining claims are also rejected under 35 U.S.C. 112, second paragraph, for being dependent upon a rejected base claim.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

Art Unit: 2863

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2, 4, 12, 13, and 15-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Kenji et al. (JP 2002-028143).

Regarding claims 1, 12, and 16, Kenji et al. discloses a biomagnetic measurement apparatus (Fig. 1) comprising means (1) detecting a magnetic field produced from a heart (Solution, lines 1-5, cardiac muscles, line 7), means (2) calculating current vectors (current density distribution, Solution, lines 6-7) from said detected magnetic field (Solution, lines 5-8), means (3) calculating a potential waveform (Solution, lines 8-10) corresponding to a ventricular muscle cell action potential based on the change of absolute values of said current vectors with time (Solution, lines 10-11), and means (4) displaying said potential waveform (Solution, lines 10-11).

Regarding claims 2 and 13, Kenji et al. discloses said magnetic fields are detected at a plurality of different measurement points (magnetism in plural coordinates, Solution, line 4), said current vectors are calculated at said plurality of measurement points (current density distribution, Solution, lines 6-7), and said potential waveforms obtained based on the change of the absolute values of said current vectors with time are displayed (Solution, lines 10-11).

Art Unit: 2863

Regarding claims 4 and 15, Kenji et al. discloses said means displaying a potential waveform displays the waveform of said measured magnetic field (current density distribution corresponding to magnetic field distribution, Solution, line 7) and said potential waveform at the same time (Solution, lines 10-11).

Regarding claim 16, Kenji et al. further discloses a plane in parallel with a plane contacted with the surface of a chest is xy plane and an axis vertical to said xy plane is z (Fig. 4).

Allowable Subject Matter

Claims 3 and 14 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 9-11 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Claims 5-8 are allowed.

Reasons For Allowance

Art Unit: 2863

The **combination** as claimed wherein said potential waveform is calculated by adding the absolute values of said current vectors in a period from start time of depolarization of the heart to end time of depolarization of the heart, and it is calculated by subtracting the absolute values of said current vectors from the value of said potential waveform at the end of depolarization of the heart in a period from the end of depolarization of the heart to end time of repolarization of the heart (claims 3, 11, 14) or claimed process corresponding to depolarization and repolarization (claims 5, 9) is not disclosed, suggested, or made obvious by the prior art of record.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Nghiem whose telephone number is (571) 272-2277. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on (571) 272-2269. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Art Unit: 2863

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Michael Nghiem', is written over a rectangular stamp.

**MICHAEL NGHIEM
PRIMARY EXAMINER**

Michael Nghiem

August 31, 2007